

Aromatic Foliage – aromatic leaves unless otherwise stated (i.e. bark or roots), & leaves usually need to be touched, rubbed or crushed to release the fragrance

Proteaceae

Protea susannae – sulphurous odour when crushed

Ericaceae:

Erica cristiflora var. *moschata* (leaves emit a musky scent)

Buchus – almost all buchus have aromatic foliage, particularly *Agathosma* spp.

Acmadenia alternifolia
Acmadenia fruticosa
Acmadenia heterophylla
Acmadenia macropetala
Acmadenia mundiana
Acmadenia obtusata
Acmadenia trigona
Adenandra fragrans
Adenandra gummifera
Adenandra obtusata
Adenandra uniflora
Adenandra villosa
Agathosma apiculata
Agathosma betulina
Agathosma capensis
Agathosma cerefolium
Agathosma ciliaris
Agathosma collina
Agathosma crenulata
Agathosma glabrata
Agathosma gonaquensis
Agathosma imbricata
Agathosma lanceolata
Agathosma latipetala
Agathosma mucronulata
Agathosma odoratissima
Agathosma orbicularis
Agathosma ovata + cultivars and hybrids
Agathosma serpyllacea
Agathosma thymifolia
Coleonema album
Coleonema aspalathoides
Coleonema calycinum
Coleonema juniperinum
Coleonema pulchellum
Diosma acmaeophylla
Diosma guthriei
Diosma haelkraalensis
Diosma hirsuta
Diosma oppositifolia
Diosma prama

Trees

Brachylaena elliptica
Brachylaena neriifolia
Calodendrum capense
Clausena anisata (foetid)
Clerodendrum glabrum (strong unpleasant)
Colophospermum mopane (leaves turpentine, fruits spicy)
Croton gratissimus
Cryptocarya myrtifolia (bark & twigs, camphor)
Heteromorpha trifoliata
Heteropyxis natalensis

Hippobromus pauciflorus
Osyris lanceolata (wood and roots)
Searsia leptodictya (resiny)
Searsia pondoensis (resiny)
Searsia undulata (sticky aromatic leaves)
Steganotaenia araliacea
Tarchonanthus camphoratus
Tarchonanthus littoralis
Tarchonanthus trilobus
Vepris lanceolata
Vepris reflexa
Warburgia salutaris (& peppery taste)
Widdringtonia nodiflora (and wood)
Widdringtonia schwarzii (and wood)
Widdringtonia.cedarbergensis (and wood)
Zanthoxylum capense

Shrubs

Arctotis revoluta
Arctotis stoechadifolia
Artemisia afra –used in traditional medicine
Athrixia phyllicoides
Bolusafrsa bituminosa (tar scented)
Bowkeria citrina
Cliffortia odorata
Dimorphotheca cuneata
Eriocephalus africanus
Eriocephalus ericoides
Eriocephalus racemosus
Euryops annae
Euryops tysonii (faintly aromatic)
Helichrysum cymosum
Helichrysum dasyanthum
Helichrysum foetidum (unpleasant)
Helichrysum nudifolium (when dry)
Helichrysum odoratissimum
Helichrysum patulum
Helichrysum petiolare
Helichrysum splendidum
Hippia frutescens
Hypericum revolutum
Justicia odora (roots are fragrant)
Leucosidea sericea (herb smell when crushed)
Leysera gnaphalodes
Lippia javanica
Melianthus comosus
Melianthus elongatus (=M.minor)
Melianthus major (nutty to foetid)
Melianthus pectinatus
Myrothamnus flabellifolius (balsam-like)
Nephrotheca ilicifolia (= *Gibbaria ilicifolia*)
Osmitopsis asteriscoides
Pelargonium 'Fragrans'
Pelargonium abrotanifolium
Pelargonium album
Pelargonium betulinum (camphor)
Pelargonium capitatum (rose)
Pelargonium carnosum
Pelargonium citronellum (lemon)
Pelargonium cordifolium
Pelargonium crispum (lemony)
Pelargonium crithmifolium
Pelargonium cucullatum
Pelargonium denticulatum

Pelargonium englerianum (camphor)
Pelargonium exstipulatum
Pelargonium glutinosum (balm)
Pelargonium graveolens (rose)
Pelargonium greytonense
Pelargonium hispidum
Pelargonium inquinans
Pelargonium mollicomum
Pelargonium odoratissimum
Pelargonium panduriforme (balm/balsam)
Pelargonium papilionaceum
Pelargonium quercifolium (balm)
Pelargonium radens (rose)
Pelargonium radens x *vitifolium*
Pelargonium ribifolium
Pelargonium scabrum (lemon)
Pelargonium sublignosum
Pelargonium tomentosum (peppermint, shade)
Pelargonium vitifolium
Pentzia dentata
Pentzia incana
Plecostachys serpyllifolia
Printzia aromatica
Pteronia camphorata
Pteronia onobromoides
Salvia africana-caerulea
Salvia africana-lutea
Salvia albicaulis
Salvia aurita
Salvia chamelaeagnea
Salvia dentata
Salvia disermas
Salvia dolomitica
Salvia garipensis
Salvia lanceolata
Salvia namaensis
Salvia radula
Salvia repens
Salvia runcinata
Salvia stenophylla
Seriphium plumosum (= *Stoebe plumosa*)
Stoebe – see *Seriphium*
Tripteris oppositifolia
Ursinia abrotanifolia
Ursinia sericea
Withania somnifera (foetid)
Zygophyllum foetidum (foetid)

Herbaceous Perennials & Annuals

Aeollanthus suaveolens
Ballota africana
Chaenostoma caeruleum
Chaenostoma cordatum (unpleasant)
Chaenostoma floribundum (curry)
Hemizygia see *Syncolostemon*
Jamesbrittenia grandiflora
Kedrostis foetidissima (unpleasant)
Lasiospermum bipinnatum
Leonotis leonurus (also dried)
Leonotis ocyimifolia
Mentha aquatica
Mentha longifolia
Ocimum labiatum
Ocimum serratum
Oncosiphon grandiflorum (annual herb)
Oncosiphon suffruticosum (annual herb)
Orthosiphon see *Ocimum*

Plectranthus 'Mona Lavender'
Plectranthus ambiguus
Plectranthus dissectus
Plectranthus ecklonii
Plectranthus ernstii
Plectranthus esculentus
Plectranthus fruticosus
Plectranthus grandidentatus
Plectranthus hadiensis var. *woodii*
Plectranthus hereroensis
Plectranthus laxiflorus (citrus)
Plectranthus madagascariensis var. *aliciae*
Plectranthus neochilus
Plectranthus rehmannii
Plectranthus saccatus
Plectranthus swynnertonii
Plectranthus zuluensis
Rabdosiella calycina
Stachys aethiopica
Stachys aurea (unpleasant)
Stachys burchelliana (unpleasant)
Stachys cuneata (strong unpleasant)
Stachys dregeana
Stachys linearis (strong unpleasant)
Stachys obtusifolia (strong)
Stachys rugosa
Stachys thunbergii
Syncolostemon 'Tyrian Purple'
Syncolostemon canescens
Syncolostemon latidens
Syncolostemon obermeyeriae
Syncolostemon rotundifolius
Syncolostemon transvaalensis
Tetradenia riparia
Thaminophyllum latifolium
Thorncroftia longiflora
Thorncroftia succulenta

Bulbous Plants

Siphonochilus aethiopicus (roots aromatic)
Tulbaghia alliacea
Tulbaghia capensis
Tulbaghia dregeana
Tulbaghia violacea

Climbers

Lagenaria sphaerica (foetid)
Mondia whytei (roots are aromatic)
Senecio macroglossus

Succulents

Aeollanthus parvifolius
Aloe pluridens (cut leaves smell like rhubarb)
Conophytum khamiesbergense (rasberries)
Stayneria neilii (seed capsules smell like berries)
Ruschia piscodora + many *R.spp* (fishy odour)

Grasses

Cymbopogon caesius
Cymbopogon marginatus
Cymbopogon nardus
Cymbopogon pospischilii (foliage and rhizomes)
Elionurus muticus
Eragrostis cilianensis (unpleasant odour when fresh)
Stipagrostis namaquensis (freshly uprooted roots are aromatic)

Fragrant or Scented Flowers – includes soft or slight scents, and unpleasant scents, but fragrance is pleasant unless otherwise indicated

Proteaceae

Leucadendron album (lightly scented)
 Leucadendron arcuatum (sweet)
 Leucadendron argenteum (faint sweet)
 Leucadendron barkerae (fruity)
 Leucadendron bonum (honey)
 Leucadendron brunioides (foetid)
 Leucadendron burchellii (lemony)
 Leucadendron cadens (spicy)
 Leucadendron chamelaea (strong)
 Leucadendron cinereum (lightly scented)
 Leucadendron comosum (sweet)
 Leucadendron conicum (lightly fruity)
 Leucadendron cordatum (peppery)
 Leucadendron coriaceum (honey to yeasty)
 Leucadendron corymbosum (foetid)
 Leucadendron daphnoides (citrusy)
 Leucadendron diemontanum (yeasty)
 Leucadendron discolor (foetid)
 Leucadendron dregei (fruity)
 Leucadendron elimense (strong)
 Leucadendron eucalyptifolium (fruity)
 Leucadendron flexuosum (yeasty)
 Leucadendron floridum (lightly fruity)
 Leucadendron foedum (foetid)
 Leucadendron galpinii (yeasty)
 Leucadendron gandogerii (fruity)
 Leucadendron glaberrimum (sweet to foetid)
 Leucadendron globosum (spicy)
 Leucadendron lanigerum (foetid)
 Leucadendron laureolum (lightly fruity)
 Leucadendron levisanus (lightly sweet)
 Leucadendron linifolium (yeasty)
 Leucadendron loranthifolium (foetid)
 Leucadendron meridianum (light)
 Leucadendron meyerianum (light)
 Leucadendron nitidum (sweet)
 Leucadendron nobile (foetid)
 Leucadendron orientale (sweet)
 Leucadendron pubescens (sweet to yeasty)
 Leucadendron radiatum (light)
 Leucadendron remotum (light)
 Leucadendron roodii (foetid)
 Leucadendron salicifolium (lightly fruity)
 Leucadendron salignum (sweet to yeasty)
 Leucadendron sericeum (sweet)
 Leucadendron sessile (lemony)
 Leucadendron sorocephalodes (sweet)
 Leucadendron spissifolium (lemony)
 Leucadendron stellare (yeasty)
 Leucadendron stelligerum (foetid)
 Leucadendron strobilinum (yeasty)
 Leucadendron tinctum (strong spicy)
 Leucadendron tradouwense (sweet)
 Leucadendron uliginosum (light)
 Leucadendron verticillatum (lightly yeasty)
 Leucospermum 'Thomson's Gift' (sweet)
 Leucospermum arenarium (nutty or yeasty)
 Leucospermum bolusii (strong sweet)
 Leucospermum calligerum (sweet)
 Leucospermum cordatum (sweet)
 Leucospermum heterophyllum
 Leucospermum hypophyllocarpodendron (sweet)
 Leucospermum parile (sweet)

Leucospermum pedunculatum (sweet)
 Leucospermum prostratum (sweet)
 Leucospermum rodolentum (strong sweet)
 Leucospermum royenifolium (sweet)
 Leucospermum secundifolium (sweet)
 Leucospermum tomentosum (sweet)
 Leucospermum truncatulum (slight)
 Leucospermum winteri (slight)
 Leucospermum wittebergensis (slight)
 Mimetes chrysanthus (sweet)
 Paranomus dregei (sweet)
 Paranomus roodebergensis (honey)
 Paranomus sceptrum-gustavianus (sweet)
 Protea acaulos (yeasty)
 Protea amplexicaulis (strong yeasty)
 Protea angustata (strong yeasty)
 Protea caffra (faint sweetish)
 Protea decurrens (yeasty)
 Protea effusa (sweet yeasty)
 Protea gaguedi (slight sweet)
 Protea humiflora (strong yeasty)
 Protea laetans (faint nutty)
 Protea mucronifolia (faint sweet scent)
 Protea namaquana (yeasty)
 Protea nana (yeasty)
 Protea nana (yeasty)
 Protea nubigena (faint sweet)
 Protea odorata (faint sweet scent)
 Protea pendula (faint yeasty)
 Protea pityphylla (yeasty)
 Protea recondita (yeasty)
 Protea subulifolia (yeasty)
 Protea sulphurea (strong yeasty)
 Protea tenax (yeasty)
 Protea venusta (honey)
 Protea welwitschii (strong honey)
 Serruria adscendens
 Serruria aemula
 Serruria aitonii
 Serruria bolusii
 Serruria brownii
 Serruria collina
 Serruria cyanoides
 Serruria cygnea
 Serruria decipiens
 Serruria decumbens
 Serruria dodii
 Serruria elongata
 Serruria fasciflora
 Serruria fucifolia
 Serruria furcellata
 Serruria glomerata
 Serruria heterophylla
 Serruria hirsuta
 Serruria incrassata
 Serruria nervosa
 Serruria roxburghii
 Serruria stellata
 Serruria trilopha
 Serruria villosa
 Sorocephalus alopecurus
 Sorocephalus imbricatus
 Vexatorella amoena
 Vexatorella latibrosa

Vexatorella obtusata

Ericaceae

Erica altevivens (musty)
Erica caffra (strong sweet)
Erica canaliculata (musty)
Erica caterviflora (honey)
Erica cristiflora var. moschata (sweet, and leaves emit a musky scent)
Erica curvirostris (strong honey)
Erica cylindrica
Erica daphniflora (sweet)
Erica denticulata (sweet)
Erica ericoides (honey)
Erica glabella (slight honey)
Erica leucantha (honey)
Erica leucanthera (honey)
Erica lutea (faint sweet)
Erica margaritacea (honey)
Erica odorata (sweet)
Erica parilis (faint unpleasant)
Erica subdivaricata (strong honey)
Erica tenuis (honey)
Erica transparens (sweet)
Erica viscaria (= E. decora) (musky)

Trees

Acacia – see Senegalia or Vachellia
Adansonia digitata
Afzelia quanzensis
Albizia adianthifolia
Allophylus dregeanus
Anthocleista grandiflora
Antidesma venosum (unpleasant)
Apodytes dimidiata
Balanites maughamii
Barringtonia racemosa (night)
Bolusanthus speciosus
Boscia albitrunca
Brabejum stellatifolium
Breonadia salicina
Burkea africana
Calodendrum capense (faint)
Cassia abbreviata
Cassine peragua
Cavacoa aurea
Chionanthus foveolatus
Cladostemon kirkii (flowers sweet, fruits foul)
Clerodendrum glabrum (flowers sweet, crushed leaves unpleasant)
Combretum apiculatum
Combretum collinum
Combretum erythrophyllum
Combretum molle
Combretum mossambicense
Combretum zeyheri
Cordia caffra
Craibia zimmermannii
Cunonia capensis
Dais cotinifolia
Dialium schlechteri (strong unpleasant)
Diospyros scabrida var. cordata
Diospyros whyteana
Diplorhynchus condylocarpon (jasmine-like)
Ekebergia capensis
Ekebergia pterophylla
Englerophytum magalismsontanum

Euclea crispa
Euclea natalensis
Euclea undulata
Faidherbia albida
Faurea saligna (honey)
Freylinia lanceolata
Galpinia transvaalica
Garcinia gerrardii
Gonioma kamassi
Heteromorpha arborescens (and leaves)
Ilex mitis
Khaya anthotheca
Lonchocarpus capassa now Philenoptera violacea
Loxostylis alata
Maerua caffra
Maesa lanceolata
Maurocena frangula
Mimusops obovata
Mimusops zeyheri
Mitriostigma axillare
Nuxia congesta
Nuxia floribunda
Ochna arborea
Ochna pulchra
Olinia emarginata
Olinia ventosa
Ozoroa paniculosa
Pappea capensis (& fragrant oil from seeds)
Parinari curatellifolia
Philenoptera violacea (= Lonchocarpus capassa)
Pittosporum viridiflorum (evening scented, & bark smells like liquorice)
Platylophus trifoliatus
Prunus africana
Ptaeroxylon obliquum
Pteleopsis myrtifolia
Pterocarpus angolensis
Pterocarpus rotundifolius
Rauvolfia caffra
Rhus see Searsia
Rinorea angustifolia
Rothmannia capensis
Rothmannia globosa
Schrebera alata
Scolopia mundii
Searsia most species have yeasty odour
Securidaca longipedunculata
Senegalia burkei (= Acacia burkei)
Senegalia caffra (= Acacia caffra)
Senegalia galpinii (= Acacia galpinii)
Senegalia mellifera (= Acacia mellifera)
Senegalia nigrescens (= Acacia nigrescens)
Senegalia polyacantha (= Acacia polyacantha)
Sideroxylon inerme (strong unpleasant)
Strychnos decussata
Syzygium cordatum
Syzygium guineense
Tabernaemontana elegans
Tabernaemontana ventricosa
Terminalia phanerophlebia
Tricalysia lanceolata
Trichilia emetica
Trichocladus grandiflorus
Turraea floribunda
Vachellia erioloba (= Acacia erioloba)

Vachellia hebeclada (= Acacia hebeclada)
 Vachellia karroo (= Acacia karroo)
 Vachellia nilotica (seedpod pulp also fragrant)
 Vachellia rehmanniana (= Acacia rehmanniana)
 Vachellia robusta (= Acacia robusta)
 Vachellia sieberiana (= Acacia sieberiana)
 Vachellia tortilis (= Acacia tortilis)
 Vachellia xanthophloea (= Acacia xanthophloea)
 Vangueria esculenta
 Virgilia divaricata
 Virgilia oroboides
 Voacanga thouarsii (strong)
 Ximenia caffra
 Zanthoxylum capense (and aromatic leaves)
 Ziziphus mucronata

Shrubs

Acocanthera oblongifolia POISONOUS
 Acocanthera oppositifolia POISONOUS
 Anastrabe integerrima
 Ancylobotrys capensis
 Aphloia theiformis (night scented)
 Athanasia dentata (honey)
 Baphia racemosa (strong violet scent)
 Bauhinia bowkeri
 Bauhinia petersiana
 Boscia foetida (unpleasant)
 Bowkeria verticillata
 Brunia albiflora
 Brunia noduliflora
 Buddleja auriculata
 Buddleja glomerata (unpleasant)
 Buddleja loricata
 Buddleja saligna
 Buddleja salviifolia
 Carissa bispinosa
 Carissa edulis
 Carissa haematocarpa
 Carissa macrocarpa
 Clerodendrum glabrum
 Coddia rudis
 Combretum bracteosum
 Cyclopia genistoides.
 Cyclopia maculata
 Diospyros lycioides
 Diospyros simii
 Diospyros villosa
 Dombeya cymosa
 Dombeya rotundifolia
 Dombeya shupangae
 Dracaena aletiformis
 Dracaena transvaalensis (night)
 Duvernoia adhatodoides (sweet to unpleasant)
 Ehretia rigida
 Euclea divinorum
 Euclea polyandra
 Euclea racemosa
 Euclea tomentosa
 Euryops linearis
 Euryops tysonii
 Euryops virgineus (honey)
 Garcinia gerrardii
 Garcinia livingstonei
 Gardenia cornuta
 Gardenia ternifolia ssp. jovis-tonantis (=G.lutea)
 Gardenia thunbergia (all gardenias)
 Gardenia volkensii

Gnidia denudata (night scented)
 Gnidia kraussiana
 Gnidia pinifolia (night scented)
 Gnidia squarrosa (night scented)
 Gomphostigma virgatum
 Grewia flava
 Grewia hexamita
 Grewia robusta
 Gymnanthemum mespilifolium (= Vernonia mespilifolia)
 Gymnosporia buxifolia (strong foetid)
 Gymnosporia szyszyłowiczii (honey)
 Helichrysum petiolare (honey & foliage)
 Hymenolepis parviflora
 Hyperacanthus amoenus (= Gardenia amoena)
 Hypocalyptus sophoroides
 Indigofera jucunda (often mistakenly called Indigofera frutescens)
 Indigofera lyallii
 Indigofera natalensis
 Lachnaea alpina
 Lachnaea glomerata
 Lachnaea naviculifolia
 Lachnaea pomposa (= L. buxifolia)
 Lachnaea sociorum (musty)
 Lachnaea villosa (musty)
 Lycium ferocissimum
 Metalasia aurea (yeasty)
 Metalasia muricata (yeasty)
 Muraltia spinosa (= Nylandtia spinosa)
 Ochna serrulata
 Oftia africana
 Oncoba spinosa
 Osteospermum moniliferum
 (=Chrysanthemoides monilifera) (chocolate)
 Oxyanthus latifolius
 Oxyanthus pyriformis
 Oxyanthus speciosus ssp. gerrardii
 Pavetta cooperi
 Pavetta edentula
 Pavetta gardeniifolia (strong)
 Pavetta lanceolata
 Pavetta revoluta
 Pavetta schumanniana (strong)
 Pavetta zeyheri (faint)
 Phyllica buxifolia
 Phyllica ericoides
 Phyllica odorata
 Phyllanthus reticulatus (potato smell, evening)
 Podalyria calyptata
 Pseudoselago serrata
 Psoralea pinnata
 Pterocelastrus tricuspidatus
 Pterolobium stellatum
 Pteronia adenocarpa
 Pteronia uncinata (honey)
 Searsia dentata
 Searsia undulata
 Selago canescens (slight)
 Selago corymbosa (unpleasant)
 Senecio barbertonicus
 Sphenostylis angustifolia
 Strophanthus speciosus POISONOUS
 Struthiola argentea (night scented)
 Struthiola ciliata (night scented)
 Struthiola dodecandra (night scented)
 Struthiola hirsuta (night scented)

Struthiola myrsinites (night scented)
Syncarpha gnaphaloides
Withania somnifera (foetid)
Xerophyta retinervis
Xylothea kraussiana

Climbers

Asparagus falcatus
Clematis brachiata
Clematis x Clematopsis
Dalbergia armata
Dalbergia obovata
Dipogon lignosus
Ipomoea albivenia (night)
Jasminum angulare
Jasminum breviflorum
Jasminum glaucum
Jasminum multipartitum
Lagenaria sphaerica (evening)
Momordica cardiospermoides (foetid)
Pentarrhinum insipidum
Podranea ricasoliana
Sarcostemma viminale
Senecio tamoides

Herbaceous Perennial

Anemone fanninii
Asparagus africanus
Asparagus asparagoides
Asparagus capensis
Asparagus densiflorus and varieties
Asparagus larycinus
Asparagus recurvispinus
Asparagus retrofractus
Asparagus rubicundus
Barleria greenii (night)
Clematopsis scabiosifolia
Corymbium spp. (honey)
Hermannia pinnata
Justicia capensis
Lasiospermum pedunculare
Lyperia lychnidea (= Sutura lychnidea) (night)
Lyperia tristis (= Sutura tristis) (night)
Manulea altissima
Manulea tomentosa
Silene bellidioides
Silene undulata (evening)
Streptocarpus fanniniae
Streptocarpus vandeleurii
Xysmalobium involucratum
Zaluzianskya capensis (dusk)
Zaluzianskya katharinae (dusk)
Zaluzianskya maritima (dusk)
Zaluzianskya villosa (dusk)

Bulbous Plants

Albuca canadensis
Albuca cooperi
Albuca fasticiata (unpleasant)
Albuca foetida (unpleasant)
Albuca fragrans
Albuca nelsonii
Albuca spiralis
Albuca viscosa
Amaryllis belladonna (strong sweet)
Ammocharis longifolia (strong sweet)
Apodolirion cedarbergense
Babiana ambigua (strong sweet)

Babiana cedarbergensis
Babiana disticha (carnations)
Babiana fragrans (strong clove)
Babiana minuta
Babiana mucronata
Babiana nana (strong sweet)
Babiana odorata (strong sweet)
Babiana patersoniae
Babiana patula
Babiana pauciflora
Babiana sambucina
Babiana scabrifolia
Babiana vanzyliae
Babiana villosula (violets)
Boophone disticha
Boophone haemanthoides
Brunsvigia bosmaniae
Bulbinella barkerae (musty)
Bulbinella eburniflora (musky)
Clivia miniata
Crinum bulbispermum
Crinum campanulatum
Crinum macowanii
Crinum moorei
Crinum variabile
Crocsmia aurea (dried flowers in warm water
smell of saffron)
Cyanella alba
Cyanella aquatica
Cyanella lutea
Cyanella orchidiformis
Cybistetes see Ammocharis
Cyrtanthus leucanthus
Cyrtanthus mackenii var. cooperi
Cyrtanthus ochroleucus (acid)
Cyrtanthus odoratus
Cyrtanthus suaveolens
Daubenya alba (strong sweet spicy day & night)
Daubenya capensis (yeasty)
Daubenya comata (strong sweet spicy day & night)
Daubenya namaquensis (strong sweet spicy day
& night)
Daubenya stylosa (honey)
Drimiopsis maculata now Ledebouria petiolata
Eucomis autumnalis (sweet-spicy)
Eucomis bicolor (unpleasant)
Eucomis comosa (sweet-spicy)
Eucomis grimshawii (sweet)
Eucomis humilis (unpleasant)
Eucomis schiffii (foetid)
Eucomis vandermerwei (foetid)
Ferraria brevifolia (faint sweet)
Ferraria crispa (vanilla)
Ferraria densepunctulata (faint spicy)
Ferraria divaricata (slight putrid)
Ferraria ferrariola (sweet to spicy)
Ferraria flava (sweet)
Ferraria foliosa (sweet to bitter)
Ferraria ovata (sweet to bitter)
Ferraria parva (slight clove)
Ferraria schaeferi (sweet)
Ferraria uncinata (faint foetid or spicy)
Ferraria variabilis (faint putrid)
Freesia alba now Freesia leichtlinii ssp. alba
Freesia caryophyllacea
Freesia corymbosa
Freesia leichtlinii

Freesia leichtlinii ssp. *alba*
Freesia refracta
Freesia speciosa
Galtonia candicans
Gethyllis spp. (flowers strongly sweet scented
and aromatic seed capsules)
Gladiolus 'Chopin'
Gladiolus acuminatus
Gladiolus alatus
Gladiolus albens
Gladiolus arcuatus
Gladiolus atropictus
Gladiolus caeruleus
Gladiolus carinatus (violets)
Gladiolus caryophyllaceus
Gladiolus ceresianus
Gladiolus emiliae
Gladiolus equitans
Gladiolus exilis
Gladiolus gracilis
Gladiolus guthriei
Gladiolus inflexus
Gladiolus liliaceus (evening)
Gladiolus jonquilliodorus
Gladiolus longicollis (evening)
Gladiolus maculatus
Gladiolus martleyi
Gladiolus meliusculus
Gladiolus meridionalis (light scent)
Gladiolus mutabilis
Gladiolus orchidiflorus
Gladiolus patersoniae
Gladiolus pritzeli
Gladiolus recurvus
Gladiolus rogersii
Gladiolus scullyi
Gladiolus stellatus
Gladiolus sufflavus
Gladiolus trichonemifolius
Gladiolus tristis (evening)
Gladiolus uysiae
Gladiolus vaginatus
Gladiolus venustus
Gladiolus violaceolineatus
Gladiolus virescens
Gladiolus viridiflorus
Gladiolus watermeyerii
Hesperantha acuta (night)
Hesperantha bachmannii
Hesperantha cedarmontana
Hesperantha cucullata
Hesperantha erecta
Hesperantha falcata
Hesperantha pallescens
Hesperantha spicata (also evening)
Hesperantha sufflava (light musk, evening)
Hessea cinnamomea (spicy)
Ixia flexuosa (lightly fragrant)
Ixia odorata
Ixia pauciflora
Ixia polystachya (faint)
Ixia scillaris (faint)
Lachenalia anguinea
Lachenalia arbuthnotiae
Lachenalia capensis
Lachenalia comptonii
Lachenalia corymbosa
Lachenalia fistulosa
Lachenalia mathewsii
Lachenalia orchioides
Lachenalia peersii
Lachenalia purpureo-caerulea
Lachenalia pusilla
Lachenalia pustulata
Lachenalia pygmaea (almond)
Lapeirousia divaricata
Lapeirousia micrantha
Lapeirousia pyramidalis (cream form)
Ledebouria petiolata (= *Drimiopsis maculata*)
Ledebouria zebrina
Massonia bifolia (= *Whiteheadia bifolia*) (slight nutty)
Massonia depressa (damp sheep)
Melasphaerulea ramosa (sour)
Merwillia plumbea (evening)
Micranthus tubulosus
Moraea bituminosa (faint unpleasant)
Moraea cedarmontana
Moraea ciliata
Moraea collina (light sweet)
Moraea comptonii
Moraea elegans
Moraea fragrans
Moraea fugax (strong)
Moraea gawleri (sweet)
Moraea loubseri (light)
Moraea lurida (foetid)
Moraea macronyx
Moraea neglecta
Moraea ochroleuca (unpleasant)
Moraea pallida
Moraea papilionacea (sweet)
Moraea tricolor
Moraea viscaria (sweet)
Ornithogalum polyphyllum
Pauridia longituba
Pelargonium lobatum (night)
Pelargonium triste (night)
Polyxena corymbosa
Romulea aquatica
Siphonochilus aethiopicus (light, roots aromatic)
Sparaxis auriculata (light)
Sparaxis caryophyllacea
Sparaxis fragrans
Sparaxis galeata
Sparaxis parviflora (light)
Sparaxis villosa
Strumaria discifera
Strumaria picta
Strumaria tenella
Strumaria unguiculata
Trachyandra ciliata
Tritoniopsis nervosa
Tritoniopsis parviflora (sweet spicy)
Tritoniopsis unguicularis
Tulbaghia simmleri
Walleria gracilis
Watsonia borbonica (faint)
Wurmbea dolichantha
Wurmbea elongata (lightly fragrant)
Wurmbea inusta
Wurmbea marginata (foul)
Wurmbea variabilis (foul)
Zantedeschia aethiopica (faint)
Zantedeschia odorata

Orchids

Acrolophia bolusii (faint sweet)
Ansellia africana
Bonatea speciosa (night)
Corycium orobanchoides (unpleasant)
Dis purpurascens (sweet)
Disa bracteata (faint)
Disa cornuta (faint spicy)
Disa filicornis (faint)
Disa graminifolia (sweet)
Disa reticulata (soap)
Disa uncinata (sweet)
Disperis villosa (unpleasant)
Holothrix cernua (faint)
Holothrix villosa (sweet)
Mystacidium capense (night)
Polystachya pubescens
Pterygodium acutifolium (strong soapy)
Pterygodium cafferum (sweet)
Pterygodium catholicum (strong soapy)
Pterygodium volucris (strong sweet)
Satyrium bicorne (strong spicy)
Satyrium bracteatum (foul)
Satyrium membranaceum (night)
Satyrium princeps (faint)
Schizodium obliquum (sweet)

Water plants

Aponogeton distachyos
Nymphaea nouchali var. caerulea
Oxalis disticha
Pauridia aquatica (= Spiloxene aquatica)

Succulents

Adenium multiflorum
Carpobrotus edulis (fruits fragrant when ripe)
Conophytum acutum (strong evening)
Conophytum calculus (spicy night scent)
Conophytum ficiforme
Conophytum obcordellum (sweet night scent)
Crassula alprestris (afternoon)
Crassula coccinea (sweet)
Crassula columnaris (sweet)

Crassula dejecta (honey)
Crassula fascicularis (sweet, also night)
Crassula lactea
Crassula muscosa (musky)
Crassula obtusa (sweet, night)
Crassula orbicularis (musty)
Crassula ovata (sweet)
Crassula pyramidalis (sweet)
Dioscorea elephantipes
Fockea edulis
Glottiphyllum herrei
Glottiphyllum nelii
Hoodia gordonii (foul-smelling)
Hoodia parviflora (foul-smelling)
Hoodia pilifera (foul-smelling)
Kleinia cephalophora (sweet)
Lithops species (afternoon or dusk)
Neohenricia sibbettii (strong, night strong, night, pineapple-coconut-musky)
Orbea spp. (foul-smelling)
Oscularia caulescens
Oscularia deltoides
Pelargonium crassicaule (faint sweet)
Phyllobolus prasinus (= Sphalmanthus prasinus) (peppery ham)
Pleiospilos nelii (afternoon)
Psammophora modesta (honey)
Quaqua arenicola (foul-smelling)
Quaqua mamillaris (foul-smelling)
Ruschia maxima
Ruschia spinosa
Sansevieria hyacinthoides (night)
Stapelia spp. (foul-smelling)
Stomatium mustellinum (late afternoon)
Tavaresia barklyi (foul-smelling)

Root parasite

Hyobanche atropurpurea

Indigenous aromatic plants that can be used in potpourri:

Acmadenia leaves and fruits
Adenandra leaves and fruits
Agapanthus flowers
Agathosma leaves and fruits
Artemisia afra leaves
Carissa flowers
Coleonema leaves and fruits
Colophospermum fruits
Crocasmia flowers
Cryptocarya myrtifolia bark and twigs
Diosma leaves and fruits
Dombeya flowers
Eriocephalus leaves and seeds
Freesia flowers
Gardenia flowers
Gethyllis seed pods
Helichrysum leaves and flowers
Heteropyxis leaves

Jasmine flowers
Lasiospermum bipinnatum leaves and seeds
Leucadendron argenteum leaves
Leucadendron cones
Lippia leaves and flowers
Mentha leaves and flowers
Mondia root
Pelargonium leaves
Phaenocoma flowers
Pittosporum bark
Rothmannia flowers
Salvia leaves and flowers
Siphonochilus root
Syncarpha flowers
Syncolostemon leaves and flowers
Tarchonanthus leaves and seeds
Ursinia abrotanifolia/sericea leaves
Widdringtonia leaves and wood shavings

Zanthoxylum leaves and fruits